BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

confider	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consume nce report (CCR) to its customers each year. Depending on the population served by the public water system, this CCF mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please A	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: $05/31/12$
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/_
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Holmes County Herald
	Date Published: 05/8//2
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
CERTII	FICATION .
the form consister Departm	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State and the public water Supply. Compared to the public water system officials by the Mississippi State and the public water system officials by the Mississippi State and the public water system officials by the Mississippi State and the public water system officials by the Mississippi State and the public water system officials by the Mississippi State and the public water system of Public Water Supply.
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2011 Annual Drinking Water Quality Report City of Lexington PWS#: 0260012 May 2012

2012 JUN -5 AM 9: 56

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Lexington have received a lower to moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Robin McCrory at 662-834-1261. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:00 PM at the City Hall.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RES	SULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2011	.003	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2011	.786	No Range	ppm	4	4	Erosion of natural deposits; water

									additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/1	1 1	0	ppb		0 .	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2011	.19	No Range	No Range ppm		10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfectio	n By-	Produc	ts			-			
82. TTHM [Total trihalomethanes]	N	2008*	.509	No Range	ppb	0	0 80 By-product of drinki chlorination.		r-product of drinking water lorination.
Chlorine	N	2011	1.1	.81 – 1.39	ppm	0	MDRL =	RL = 4 Water additive used to cont microbes	

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however, the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

Significant Deficiencies

During a sanitary survey conducted on 3/29/10, the Mississippi State Department of Health cited the following deficiency:

Inadequate internal cleaning/maintenance of storage tanks

Corrective actions: The system is currently under a Bilateral Compliance Agreement with the Mississippi State Department of Health to correct this deficiency by 12/31/12.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the CITY OF LEXINGTON is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 91%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

***** A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The City of Lexington works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

REDRIVED - WATER SUPPLY

___, No. <u>22</u>___the <u>3</u>[<u>2</u>

PROOF OF PUBLICATION

2012 JUN -5 AM 9: 55

HOLMES COUNTY HERALD LEXINGTON, MISSISSIPPI

STATE OF MISSISSIPPI, HOLMES COUNTY

Personally appeared before me, the undersigned authority, Chancery Clerk of said County and State, Bruce Hill, publisher of a public newspaper called the Holmes County Herald established in 1959 and published continuously since that date in said County and State, who, being duly sworn, deposed and said that the notice, of which a true copy is hereto annexed, was published in said paper for times, as follows, to wit:

COCHES & CAMER SO V				D'ALAMA M MOCAL						
roked customers to Drey are held on the	be information	ned about t iday of each	woush stig.	othy if you want to 00 PM at the City H	idena no tal	ra. piesa	0 850	ed ship	es o	at 662-834-1361. We work our at copularly schooland mentings
companious but we has baken reflects the in zome cases, not mostly a contamina operations, and will mostly industrial, or from a variety of a pyramics and resists stations and septic scalables. In order I	rent detect to most rect scooting in mis, sooti star snorg contest to corotina ty corotina ty corotina ty corotina to corotina to corotina to corotina	top during the east meeting and materials are and should contain woodenade such are again chaminate, redictation that the season that the season and and and and and and and an	es period el- his water tran- di can pick and bacter atomis, succi distributante, subure, orbi- which are by- contaminante er is sufe ki	January 1° is Doon with over the surface with over the surface in a safet and meta- call and gas produce an aform-water non poptiducts of industria, a, which can be not orders, EPA proprint with the products of the behalfor herbad.	orbor 33 or of hand of constanting them seem on, which constanting of a proper or of them of the of them of the of th	, 2011 In undergo rea from age treats can be re reg, or for assidential sea and curing or priors of priors of prio	en con round fre c ment doursi	A dasa reserves plants, i ty occur person is organ tern pro e rasult i the am	hers hers hers hers hers hers hers hers	giow bats and of the divisiony white materially excessing existencial and materially occurring circinals and, amends or ill committee and materials and, in systems, approximate fivenesses or stead from unband asternations between a system of the committee and the committee of the committee between a system of the committee of the committee of the committee of continuous committees in white specials to control as the committee contractly withouts that the writer contractly without the contractly contractly without the contractly
provided the follows	and appropriate	200								y understand these forms we've
Salaw.										pris which a water system must
Market on Contains MCLs are set as de	2007 E4345 250 10 Tra	(UCL) - TI UCLGs (4)	a Windran casible etire	n Aflanias" (MSL) is g tha best arminble	t the Nigh Insulment	na keel Navas	0 + 1 W	continue	.74	that as allowed an ethylory water
Marineen Consums or expected fisk to b	rore Level Peakly, Ba	God (MOL CLOs alow	S) - The 'Go lor a margin	osF(MCLG) is the k of ealth	ovel cel a c	ontarrios	rt m	ennking	W23	pr bolow which there is no shown
Varietada Fleadach addition of a distribu	Dainkaa ctarkis re	est Const (Sc constant)	ROLI - The corns mix	highest level of a G total commissionists	gradektari	ato-ed	nor	Ang wa	er.	There is servancing existence that
Parts per million (as	on) or MS	grams par i	terpaga - c	one part pre motion i	correspon	to one	ein/	d is two	707	es or a single pormy in \$19,000
Parts nor beton fee	N or Mon	500 FM/CC	Mr. 010 (1	vi par billion starras	socas la o	no remote	e m Z	000 yes	4.0	e a single powey in \$10.000,000
									_	
				TEST RE						
Contaminant	Violeton	Collecte Collecte	Lavel Conscio	Range of Defect or # of Samples Exceeding ExCLACE		70 P	ciĠ	asca.		Littley Source of Contemination
Inorganic C	ontan	inants								
10 Barrers	H	2011	603	No Range	9001	1	2			Discharge of driling emotes, discharge from mech suffremes, process of natural decodes
14. Copper	"	360011	3	0	P(274		13	AL+1	3	Concessor of household planning systems: erosion of natural soporate; bandling bern wood propertyshers
15, Discret**	N	2211	285	Ho Range	1995				1	Experience convenience in property, property
	Γ	Ī	T		T	T		ſ	١	addine which promotes strong teath; discharge from fertilizar and attenues factories
17 Lant	N	2000/11	1	•	250		0	14.	~ Į	Correspon of hoosehold plumbing systems, employ of natural deposits
(8 Kissen (es Kitrogen)	"	2011	.19	No Range	Down		10		10	Runoll from Section user, leacting from sectio tanks, severge, evention of motural decases
Disinfection	n By-P	roducts								
E I FRE		soce.	509	No Parge	peo :	0	т	80	9	cradual of drinking water

	Vol	, No	the
	day of		, 2012
	Vol	, No	the
	day of		, 2012
	Vol	, No	the
	day of		, 2012
	Vol	, No	the
	day of		, 2012
		Sprue	/file
	Publisher		
Vitness my hay	id Water V seal o	a Lexington,	Mississippi this
ne 31 May	a character	4	2012
Henry	" Hu	Leitt	Chancery Clerk
v Ohai	lie Li	Latt	D.C.
TINCHE Words	times	Amo	unt \$ 11 6 ,50